## ERRATA

ERRATA																
ID No.	Chemical Name	CAS	Hazard clas	s Classification	Symbol	Signal word	Hazard	Precautionary I	NCORRECT  Rationale for the classification	Classification	Symbol	Signal word	Hazard	Precautionary	CORRECT  Rationale for the classification	NOTE
H27-A-02- METI/M- 002A_P	(RS)-2-[2-(3-Chlorophenyl)- 2,3-epoxypropyl]-2- ethylindane-1,3-dione [indanofan]	133220-30-1	Specific target organ toxicity - Repeated exposure	Category 1 0,	n/c	n/c	H372: Cause damage to organs through prolonged or repeated exposure 0 H373: May cause damage to organs through prolonged or repeated exposure (liver)	<b>statement</b>	n/c	Category 1 (blood coagulation system), Category 2 (liver)	n/c	n/c	H372 : Cause damage to organs through prolonged or repeated exposure (blood coagulation system) H373 : May cause damage to organs through prolonged or repeated exposure (liver)	n/c	n/c	2017/3/17
H27-A-033/0	Tetrabromobisphenol A	79-94-7	Reproductive toxicity		-			-	n/e	Category 1B, Additional category: Effects on or via lactation	Health Hazard	Danger	H360: May damage fertility or th unborn child H362: May cause harm tu breast-fed children	P270: Do not eat, drink	n/c	2017/2/23
H27-A-048/0 123A_P	Tellurium tetrachloride	10026-07-0	Reproductive toxicity		-	-			n/e	Category 1B, Additional category: Effects on or via lactation	Health Hazard	Danger	H360: May damage fertility or th unborn child H362: May cause harm to breast-fed children	thoroughly after handling. P270: Do not eat, drink	n/c	2017/2/23

H27-B-019/C 040B_P	Potassium iodide	7681-11-0	Reproductive toxicity		-			-	n/c	Category 1B, Additional category: Effects on or via lactation	Health Hazard	Danger	H360: May damage fertility or the unborn child H362: May cause harm to breast-fed children	P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P260: Do not breathe dusts or mists. P263: Avoid contact during pregnancy and while nursing. P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P280: Wear protective gloves/protective clothing/eye protection/face protection. P308+P313: IF exposed or concerned: Get medical advice/attention. P405: Store locked up. P501: Dispose of contents/container to	n/c 2017/2/23
H27-B-020/C 041B_P	Silver (I) iodide	7783-96-2	Reproductive toxicity					-	n/c	Category 1B, Additional category: Effects on or via lactation	Health Hazard	Danger	H360: May damage fertility or the unborn child H362: May cause harm to breast-fed children	P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P260: Do not breathe dusts or mists. P263: Avoid contact during pregnancy and while nursing. P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P280: Wear protective gloves/protective clothing/eye protection/face protection. P308+P313: IF exposed or concerned: Get medical advice/attention. P405: Store locked up. P501: Dispose of contents/container to	n/c 2017/2/23
H27-B-028/C 049B_P	Perfluorooctanic acid	335-67-1	Acute toxicity (Dermal)	Not classified	n/c	n/c	n/c	n/c	n/c	Classification not possible	n/c	n/c	n/c	n/c	n/c 2017/2/23
H27-B-028/C 049B_P	Perfluorooctanic acid	335-67-1	Acute toxicity (Inhalation: Dusts and mists)		Skull and crossbones	Danger	H331 : Toxic if inhaled	P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233: Store in a well-ventilated place. Keep container tightly closed. Year Avoid breathing dust/fume/gas/mist/vap ours/spray. P271: Use only outdoors or in a well- ventilated area. P311: Call a POISON CENTER/doctor/ P321: Specific treatment (see on this label) . P405: Store locked up. P501: Dispose of contents/container to	n/c	Classification not possible			-	-	n/c 2017/2/23

H27-B-028/C 049B_P	Perfluorooctanic acid	335-67-1	Reproductive toxicity	-	-	-	-	n/c	Category 1A, Additional category: Effects on or via lactation	Health Hazard	Danger	H360: May damage fertility or the unborn child H362: May cause harm breast fed children	thoroughly after handling. P270: Do not eat, drink n/c or smoke when using	2017/2/23
H27-B-035/C 071B_P	Dimethyl mercury	593-74-8	Reproductive toxicity					n/c	Category 1A, Additional category: Effects on or via lactation	Health Hazard	Danger	H360: May damage fertility or the unborn child H362: May cause harm to breast-fed children	thoroughly after handling. P270: Do not eat, drink n/c	2017/2/23
H27-B-069/C 105B_P	. Chlorine dioxide	10049-04-4	Reproductive toxicity					n/c	Category 1B, Additional category: Effects on or via lactation	Health Hazard	Danger	H360: May damage fertility or the unborn child H362: May cause harm to breast-fed children	P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P260: Do not breathe dusts or mists. P263: Avoid contact during pregnancy and while nursing. P264: Wash thoroughly after handling. P270: Do not eat, drink or meles when union	2017/2/23

H27-B-070/C 106B_P	Perfluoro(octane-1-sulfonate)	1763-23-1	Reproductive toxicity						n/c	Category 1A, Additional category: Effects on or via lactation	Health Hazard	Danger	H360: May damage fertility or the unborn child H362: May cause harm to breast-fed children	P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P260: Do not breathe dusts or mists. P263: Avoid contact during pregnancy and while nursing. P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P280: Wear protective gloves/protective clothing/eye protection/face protection. P308+P313: IF exposed or concerned: Get medical advice/attention. P405: Store locked up. P501: Dispose of contents/container to	n/c 2	2017/2/23
H27-B-072/C	Tantalum	7440-25-7	Pyrophoric solids	n/c	n/c	n/c	n/c	n/c	There is an autoignition temperature data of > 250 deg C (ICSC (2005)), but on the other hand, there is the information that the dry powder ignites spontaneously in air (HSDB (Access on September 2015)). Because a tendency to ignite spontaneously is different depending on forms and so on, the comprehensive classification is not possible.	n/c	n/c	n/c	n/c	n/c	There is an autoignition temperature data of > 250 deg C (GESTIS (Access on September 2015)), but on the other hand, there is the information that the dry powder ignites spontaneously in air (HSDB (Access on September 2015)). Because a tendency to ignite spontaneously is different depending on forms and so on, the comprehensive classification is not possible.	March, 2020
H27-B-075/C 122B_P	Tellurium	13494-80-9	Reproductive toxicity	-	-	-	-		n/c	Category 1B, Additional category: Effects on or via lactation	Health Hazard	Danger	H360: May damage fertility or the unborn child H362: May cause harm to breast-fed children	P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P260: Do not breathe dusts or mists. P263: Avoid contact during pregnancy and	n/c 2	2017/2/23
H27-A-07- METI/M- 011A_P H27-B-19- METI/M- 031B_P	Dichloropentafluoropropan e [HCFC-225] 3,3-Dichloro-1,1,1,2,2- pentafluoropropane (synonym: HCFC-225ca)	422-56-0	n/c	n/c	n/c	n/c	n/c	n/c	n/c	n/c	n/c	n/c	n/c	n/c	n/c	arch, 2022
H27-A-08- METI/M- 012A_P H27-B-20-	Dibromotetrafluoroethane [Halon-2402] 1,2-Dibromo-1,1,2,2- tetrafluoroethane	124-73-2	n/c	n/c	n/c	n/c	n/c	n/c	n/c	n/c	n/c	n/c	n/c	n/c	Mai n/c	arch, 2022