ERRATA CORRECT CORRECT														CORDICT		
ID No.	Chemical Name	CAS RN	Hazard class	Classification	Symbol	Signal wor	d Hazard statement	Precautionary	Rationale for the classification	Classification	Symbol	Signal word	Hazard	Precautionary statement	Rationale for the classification	NOTE
R01-A-010	Cadmium(II) iodide	7790-80-9	Serious eye damage/eye irritation	Category 1	Corrosion	Danger	H318 : Causes serious eye damage	I SUPER STATE AND A STATE OF THE STATE OF TH	n/e		-	-	-	-	n/c	July, 2020
R01-B-014	2- (Diethylamin o)ethyl methacrylate	105-16-8	Hazardous to the aquatic environment Long term (Chronic)	Category 2	Environment	-	H411 : Toxic to aquatic life with long lasting effects	P273: Avoid release to the environment. P391: Collect spillage. P501: Dispose of contents/container to	n/e	*	-	-	-	-	n/e	October, 2020
R01-B-005	Benzyl alcohol	100-51-6	Flammable liquids	*	n/c	-			n/e	Category 4	n/e	Warning	H227: Combustible liquid	P370+P378: In case of fire: Use to extinguish. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280: Wear protective gloves/protection/face protection/face protection/face protection/face protection/face protection. P403: Store in a well-ventilated place. P501: Dispose of contents/container to	n/e	December, 2020
R01-B-067	Potassium hexahydroxoa ntimonate	12208-13-8	Hazardous to the aquatic environment Long term (Chronic)	Category 2	Environment	n/c	H411 : Toxic to aquatic life with long lasting effects	P273: Avoid release to the environment. P391: Collect spillage. P501: Dispose of contents/container to	n/e	Category 3	-	n/c	H412: Harmful to aquatic life with long lasting effects	P273: Avoid release to the environment. P501: Dispose of contents/container to	n/e	December, 2020
R01-A-004	N,N,N',N'- tetramethyl- 4,4'- benzylidene dianiline; Leucomalac hite green	129-73-7	Acute toxicity (Oral)	Category 3	Skull and crossbones	Danger	H301 : Toxic if swallowed	SWALLOWED: Immediately call a POISON P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P321: Specific treatment (see on this label). P330: Rinse mouth. P405: Store locked up. P501: Dispose of contents/container to	n/e						n/e	November, 2021
R01-B-013	2-(Di-n- butylamino)et hanol	102-81-8	Skin corrosion/irrit ation	Category 2	Exclamation mark	Warning	H315 : Causes skin irritation	contaminated clothing and wash it before reuse. P264: Wash thoroughly after	[Rationale for the Classification] Based on (1)-(3), it was classified in Category 2.  [Evidence Data] 10 In an occlusive application test with rabbits for 1 minute, 5 minutes and 20 hours, necrosis was observed after 20 hours and it was judged to be corrosive (REACH registration dossier are observed after 20 hours and it was judged to be corrosive (REACH registration dossier 22 lt was reported to be corrosive in a test in which 0.01 mL was applied to rabbits for 24 hours (Initial Risk Assessment Report (NTE, CERI, NEDO, 2007)].  30 This substance produced necrosis within 24 hours when applied to the skin of rabbits. In addition, when instilled in the eyes, it produced corneal necrosis (ACGHI (7th, 2001)).	Category 1	Corrosion	Danger	H314 : Causes severe skin burns and ey damage	SWALLOWED Rinse mouth. Do NOT induce mouth. Do NOT induce mouth. Do NOT induce properties of the prope	Bationale for the Classification] Based on (D+G), it was classified in Category 1.  [Evidence Data] (D) In an occlusive application test with rabbits for 1 minute, 5 minutes and 20 hours, necrosis was observed after 20 hours and it was judged to be corrosive (REACH registration dessier 22). It was reported to be corrosive in a test in which 0.01 mL was applied to rabbits for 24 hours (finital Risk Assessment Report CNTE, CERI, NEDD, 2007D).  (3) This substance produced necrosis within 24 hours when applied to the skin of rabbits. In addition, when instilled in the eyes, it produced corneal necrosis (ACGH (7th, 2001)).	March, 2022
R01·B·026	3,4-xylenol; 3,4- Dimethylph enol	95-65-8	Hazardous to the aquatic environment Short term (Acute)	n/e	n/c	n/c	n/c	n/c	It was classified in Category 3 from 96 <sup>th</sup> our LC50 = 14 mg/L for crustacea (Pimephales promelas) (AQUIRE, 2008, Matteon, 1976).	n/e	n/c	n/c	n/e	nrotection/face n/c	It was classified in Category 3 from 90-hour LC50 = 14 mg/L for fish (Pimephales promelas) (AQUIRE, 2008, Mattson, 1976).	February, 2024